****						
0002/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket Number	17275-P043US			
	W UTILITY PATENT CATION TRANSMITTAL	First Named Inventor	Adams, Rodney Glen			
	used for new applications only)	Total Pages in this Submission	34			

Appl pater 506, 113)	APPLICATION ELEMENTS ce: Checklist items mentioned under ication Elements section construct a new utility nt application. Please refer to MPEP Sections 601, (37CFR 1.77, 1.53, 35 USC 111, 112, for detailed explanation regarding pleteness of an original patent application.	ACCOMPANYING APPLICATION PARTS				
] ] ] ] ]	Fee Transmittal Form (prescribed filing fee(s))  Specification [Total of23PAGES]  Title of the Invention  Cross References to Related Applications (if applicable)  Statement Regarding Federally-sponsored Research/Development (if applicable)  Reference to Microfiche Appendix (if applicable)  Background of the Invention  Brief Summary of the Invention  Brief Description of the Drawings (if drawings filed)  Detailed Description  Claim or Claims  [9 Ind/19 Dep CLAIMS]  Abstract of the Disclosure	7. ☐ Cert (if for  8. ☐ Com  9. ☐ Eng appl  10. ☐ Infor State  11. ☐ Petit Petit  12. ☐ Prop  13. ☐ Prop  14. ☒ Retu  15. ☐ Sma	ignment Papers tified Copy of Priority Document(s) toreign priority is claimed) inputer Program in Microfiche lish Translation Document (if licable) rmation Disclosure  Copies of IDS ement/PTO-1449  Citations tion Checklist and Accompanying tion iminary Amendment prietary Information the Receipt Postcard all Entity Statement itional Enclosures (please identify below):			
3. 1	☑ Drawing(s) (when necessary as prescribed by 35 USC 113) [2 SHEETS]	<ul> <li>a. Check in the amount of \$-1,458.00</li> <li>b. Check in the amount of \$-40.00</li> <li>b. Certificate of Express Mailing EM314082201US</li> </ul>				
4.	Executed Declaration	SIGNATURE OF APPLICANT ATTORNEY, OR AGENT				
9	Genetic Sequence Submission if applicable, all must be included) Paper Copy	Firm <i>or</i> Individual Name	Kevin L. Smith, Esq. WINSTEAD SECHREST & MINICK, P.C.			
[	☐ Computer Readable Copy	Signature	In I must			
[	Statement Verifying Identical Paper and Computer Readable Copy	Date	April 23, 1998			

	F	OR OFFICIAL USE ONLY			
Application No.		Class	Independent Claims		
Date of Receipt	Application Type	GAU	Total Claims		
	Filing Date	Foreign Filing License?	Drawing Sheets		
	Small Entity	Foreign Address'?	Special Handling?		

User ID

	<b>I</b> C
	A
	١
	<i>!</i>
	١
	Γ
	7
	H
	L
	2
	ļ_
	ļ
	1
	l '
Ī	ı
	ĺ
UT.	'
- I	
Ų.	
, <sub>1</sub>	
72 201	
TI.	
	2
	_
<u>u</u>	Т
	ı
	lr C
	N
	ι
ļ	

U.S. Department of Commerce						·	Complete if Known									
Rev. 10/	Rev. 10/95 Patent and Trademark 0					rk Office	Applic	Application Number								
						Filing Date			April 23, 1998							
PTO FEE TRANSMITTAL										Adams, Rodney Glen						
TIOTEE TRANSMITTAL						Group Art Unit			1	ridano, ricancy cien						
							Examiner Name			<u> </u>	<del></del>					
TOTAL AMOUNT OF PAYMENT (\$)1,498.00								-	17275 5	0042LIS (DD24ES)						
TOTAL			_						,	Attorney Docket Number 17275-P043US (RR2156)						
	MET	THOD C	)F PA	YME	T (che	ck c	ne)			FEE CALCULATION (continued)						
X The Commissioner is hereby authorized to charge indicated fees and credit any over payments to					3.	3. ADDITIONAL FEES										
Deposit	23-2	426							Large	•	Small	Entity				
Account Number									Fee Code	Fee (\$)	Fee Code	Fee (\$)		Fee Description		Fee Paid
Deposit	MIN	STEAD	SECH	IRES.	T 2. M	INII	CK	D.C.	105	130	205	65	Surcharge	- late filing fee or oath	1	Faiu
Account	"	OILAD	OLOI	IIVLO	I CX IVI	1141	CIN	F.C.					_	·		
Name									127	50	227	25	cover shee	<ul> <li>late provisional filing</li> </ul>	ree or	
Char	rge Any .	Additional I	Fee		harge th	ne Is	sue F	ee Set in	139	130	139	130		h specification		
		der 37 CFF	R 1 16		7 CFR 1				147	2,520	147	2,520	-	request for reexamina	ation	<u> </u>
and	1 17				f the No			owance,	112	920*	112	920*				
				3	7 CFR 1	311	(D)		'''	J20	112	323		Requesting publication of SIR prior to Examiner action		
2. X	Payme	nt Enclose	d	•	-				113	1,840*	113	1,840*		publication of SIR aff	ter	
-	X	heck		Money (	Order [		Ot	ner	115	110	215	55	Extension (	or response within firs	st month	
F	EE C	ALCUL	ATIO	N (fees	effective	e 10	/01/9	7)	116	400	216	200	Extension for response within second month			
1. FILING	G FEE								117	950	217	475	Extension f	Extension for response within third month		
									118	1,510	218	755	Extension f	or response within fou	ırth	
Large	Entity	Small	Entity						119	310	219	155	Notice of A	ppeal		
Fee	Fee	Fee	Fee	F	e Descr	riptio	on	Fee	120	310	220	155	Filing a brie	ef in support of an app	eal	
Code 101	<b>(\$)</b> 790	Code 201	( <b>\$</b> ) 395	Lithinto	filing fee	<b>.</b>		Paid 790 00	121	270	221	135	1	oral hearing		ļ
106	330	206	165	•	•			790 00	138	1,510	138	1,510	•	•		
107	540	207	270	Design filing fee  Plant filing fee			140	1,510	240	55	Petition to institute a public use proceeding Petition to revive unavoidably abandoned					
108	790	208	395				141	1,320	241	660	application Petition to revive unintentionally					
114	150	214					142	1,320	242	660	abandoned application Utility issue fee (or reissue)					
			SU	BTOTAL	_		790 (	00	143	450	243	225	Design issue fee			
2. CLAI	MS				Fee	<u> </u>			144	670	244	335	Plant issue fee			-
0					from			Fee	```	0.0		555	lant issue lee			
			Extr	a	Belov	N		Paid	122	130	122	130	Petitions to	the Commissioner		<b></b>
Total clain	ns	28 -20	=	8 X	22	$\Box$	=	176 00	123	50	123	50	•			
	_,		L	⅃		_			1				applications			
Independe Claims		9 -3		6 X	82		=	492 00	126	240	126	240	Stmt	of Information Disclos		
Multiple D	ependen	nt Claims		°] ×	270		=	0	581	40	581	40	property (til	each patent assignme mes number of proper	ties)	40 00
Large Fee	Entity	Small	Entit.						146	790	246	395		mission after final reje	ection	1
Code	Fee	Fee	Entity Fee		Fee D	)esc	riptic	n	149	790	249	395	(37 CFR 1	129(a)) iditional invention to b	<b>10</b>	<u> </u>
	( <b>\$</b> )	Code 203	(\$) 11	Claum	in exce		·					აჟე		37 CFR 1 129(b))	e e	<u> </u>
1 <b>0</b> 3 102	82 82	203	41					xcess of 3	II .	e (specify e (specify			<del></del>			<u> </u>
.104	270	202	135	•	e depen				Outer te	e (specify	′ ——		61	UBTOTAL (3)	(e) 10.00	L
109	82	209	41		•				1				31	CETOTAL (3)	(\$)-40 00-	
109	02	209	41		ie indepe il patent	ende	iii Cla	ıms over								
110 22 210 11 Reissue claims in excess of 20 Reduced by Basic Filing Fee Paid								EM3140822011	U <b>S</b>							
			SUBTO	OTAL (2	) (\$)-	66	8 00-	<del></del>	∥	F					- <del> </del>	
					•											
SUBMITT	ED BY	1												Complete (if applica		
Typed or Printed Na	ame	Kevin	L. Sm	ith, Es	sq.; W	INS	STE	AD SEC						Reg Number	38,620	0
Signatu	ıre	1	• -		5			7	Date:	1/	April 23	, 1998		Deposit Account	]	

### METHODS AND SYSTEMS FOR A TELEPHONE E-MAIL INTERFACE

# TECHNICAL FIELD

The present invention relates in general to communicating a message to a given recipient and in particular to methods and systems for sending a message from a telephone to a recipient in a data network.

#### **BACKGROUND**

The Internet is a worldwide collection of computer networks connected to allow the transfer of information between entities connected to the individual networks. A popular form of information transfer is in the form of electronic mail typically referred to as "e-mail". E-mail usually comprises a short message typed on a computer terminal which is addressed to a recipient using letter type address. The Internet Service Provider (ISP) stores the message until it can be forwarded to a destination ISP serving the addressed recipient. The destination ISP holds the message in storage until the addressed recipient next requests reception of stored mail.

10

5

As is well known, e-mail may and usually does comprise only a straightforward typed message. However the message may be encrypted so that others cannot easily intercept and read the message. Further files may be attached to the e-mail message in the form of various software formats including word processing, spreadsheets and even voice and/or video recordings. Voice files would normally be in digital data network format. A common digital voice file format is a WAV file. Other digital audio formats are file formats such as AU, MIDI and AIF. Such a voice file can be compressed before transmission to reduce transmission time and storage space.

15

While a data network may be difficult to quantify, it is typically used for communications between computer type devices, transmits communications in digital format and usually uses packet transmission techniques as opposed to circuit techniques used in the Public Switching Telephone Network (PSTN).

20

10

Many times, however, an individual would like to send an e-mail message to an intended recipient but does not have immediate access to a computer connected to the internet. As there are typically telephones conveniently available in the form of business, home, coin operated pay phones and even cellular phones, it would be very convenient to be able to send messages to an addressee from a conveniently available telephone rather than having to find an available internet connected computer terminal.

It would be convenient to be able to contact a person by e-mail through the use of a standard telephone or mobile station. Such devices are typically more accessible as a means of sending a message than are networked computers. Further, the person wanting to send the message may only know the e-mail address of the intended recipient or realize that e-mail is the preferred means of contacting the recipient. There are also instances where the message to be delivered can only be conveniently delivered in voice form but the intended recipient cannot be conveniently contacted via a telephone.

# **SUMMARY OF THE INVENTION**

The present invention comprises the method and apparatus for providing an automated interface to transfer a voice message from a calling party (CP) in a voice network to a recipient in a data network (e.g. the Internet).

### BRIEF DESCRIPTION OF THE DRAWINGS

For a more complete understanding of the present invention, and its advantages, reference will now be made in the following Detailed Description to the accompanying drawings, in which:

5

FIGURE 1 is a block diagram of the interworkings of the components of the invention;

FIGURE 2 is a flow diagram of how a message is addressed and formulated for sending by a originator within the telephone network; and

FIGURE 3 is a flow diagram of the basic steps the telephone specific service provider needs to supply to practice this invention.

10

10

15

#### **DETAILED DESCRIPTION**

In FIGURE 1, a calling party (CP) is shown using a telephone type instrument 10 to communicate through telephone lines and the telephone network, as shown by block 12, to a feature provider or telephone originated internet service provider 14. Once an address message is received by provider 14, a message is forwarded over an internet block 16 including an internet service provider (ISP) (not specifically shown) used by a recipient 18. The recipient may then contact the provider 14 to receive a voice message over the internet when the recipient's presently available e-mail terminal is capable of receiving the stored voice message.

The invention includes push technology such as web browsers where the message

is received by the recipients terminal without any action upon the recipients part.

As shown in FIGURE 2, a calling party (CP) initiates the process by placing a call to a telephone e-mail provider as shown in a block 30. The CP gives the e-mail address for the intended recipient when prompted as set forth in a block 32. When the CP completes the address, a decision block 34 causes the feature provider 14 of FIGURE 1 to have the CP review the address entered. If the CP determines that it is incorrect, the previously entered address is discarded as shown by a block 36 and the address is re-entered in block 32. When the address information entered is determined to be correct, the process proceeds to block 38 where the CP entry is added to a recipient list in provider 14. The process then proceeds to a decision block 40 where a determination is made as to whether or not more recipients of the e-mail are to be

20

5

15

20

added to the list. If YES, the process returns to block 32 and if NO, it proceeds to a block 42. The CP now gives the message to be sent after prompting by the provider 14. When the message is completed, the CP is given a chance to review same for correctness in a decision block 44. If the message is determined to be incorrect or otherwise inappropriate, the CP entry is discarded in block 46 and the CP re-enters the message in block 42. When the message is determined to be correct, the system proceeds to a decision block 48 to ascertain if the CP wants certification of message delivery. If certification is requested, the process diverts to a certification block 50. Although not set forth specifically in this block, this step requires that the CP enter one of a destination telephone number for sending the certification message or a destination internet address for the certification message. Procedures and recognition circuitry in the provider 14 are readily available to recognize an answering machine or a fax machine at the destination telephone number and then act to provide an appropriate digital or voice message. The next step, in either case, is for the CP to hang up the telephone and for the provider 14 to send an e-mail message to the designated recipients as set forth in the final block 52 and further detailed in FIGURE 3.

Voice recognition software is improving daily and may be used to provide any conversion necessary to convert voice address input to appropriate digital output for transmission over the internet. This conversion is particularly accurate when the data is entered letter by letter such as the word "alpha" to represent A, Bravo to represent B and so forth. When the software is trained to only the letters of the alphabet, the

10

15

numerals 0 to 9 and a few characters such as ".", "@" and the like, it is more than 99% accurate for a majority of people. Thus one embodiment of the invention that would work with any telephone like terminal would use voice recognition software for the address. The determination of correctness of response by the provider 14 could be on a letter by letter basis as well as the entire address decision of block 34. The message itself may then either be recorded verbatim or converted to symbols as determined by the CP.

Addressing may also be accomplished by the use of touch tone keys at the CP's terminal such as block 10. An established prior art protocol may be used to enter an address. As an example, bob@bnr.ca might be entered as: 2-2 6-6-6 2-2 \* 2-2 6-6 7-7 \*\* 2-2-2 2 #. It may be noted that the 2 button on the telephone keypad additionally has the letters ABC imprinted thereon. Thus an "A" may be represented by one push of the '2' button and a "B" may be represented by two activations of the '2' button. A pause would need to occur between each entry character set. The "Q" and "Z" characters, not shown on the keypad, may be represented by activating the 7 and 9 buttons respectively four times. Alternatively, the 1 button may be used since it is further marked as the Q and Z button on some recent telephone keypads. The "@" may be entered by one push of the '\*' button while the "." may be entered by two pushes of the '\*' button. The '#' button may be used to signal the end of a given set of inputs.

20

Once the address is confirmed as being correct, a message to be supplied to the recipient(s) may be recorded as a voice file. The message is then converted into a

format appropriate for the recipient and attached to a e-mail message sent to the recipient. As a service to recipients of this service, the provider 14 may offer downloadable software under given conditions which will enhance a recipients ability to access recorded voice files received from a sender.

5

The addressing of a recipient may also be accomplished through a variation of "speed dialing". The CP can arrange with the provider 14 that a given code such as \*13 would be the address of a first given recipient while \*14 would be the address of a second and different given recipient. The use of a "\*" as a special designator is merely an example and other means may be used to differentiate speed dialing addresses from ordinary numeral or letter entry process of addressing a recipient.

10

When the provider 14 is given an internet address for the destination of a message, the forwarding of the message is taken care of by the internet block 16 in FIGURE 1.

15

This process is shown in more detail in FIGURE 3 where a block 60 represents an initial step of the service provider 14 in converting the CP or originator's voice message into an audio format suitable for transmission on a data network. As set forth in block 62, the provider 14 then creates an e-mail notification to the one or more recipients and attaches the converted voice message. A decision block 64 indicates the step of determining whether certification is requested. If it is not requested, the system proceeds to a block 66 where the e-mail is sent uncertified to the recipient. If, in block 64, it is determined that certification is requested, the system proceeds to block 68

20

10

15

20

where the e-mail is sent certified to the recipient. The system then proceeds to wait for responses from the Internet. In block 70, if the response is a notification that the recipient received the message, the system proceeds to block 72 and notifies the originator that the message was successfully delivered. If in block 70, it is determined that the response from the Internet is not a notification of certified delivery, then the system proceeds to decision block 74. In block 74 the Internet response is evaluated to determine if it is a message delivery failure notification. If it is, the system proceeds to block 76 and notifies the originator of the failure to deliver the message. If in decision block 74 it is determined that the response is not a message delivery failure notification, the system continues waiting for Internet responses at block 70.

In summary, the present invention comprises an automated interface to first accept a voice message from a CP or originator in a voice network (e.g. the Public Switching Telephone Network (PSTN)). It then converts the voice message into an appropriate audio format for transmission on the data network. Finally, the interface causes the transmission of an e-mail message with the voice message attached to a recipient in a data network (e.g. the Internet). In the prior art, the notification to the recipient has been separate from the delivery of the message. This invention utilizes more push technology to deliver the message with the notification.

In one embodiment of the invention, the inventive apparatus and method include storing the converted voice message for the recipient to retrieve later. Instead of the converted message itself being transmitted to the recipient, a message is transmitted to the recipient informing the recipient of the stored message. This transmitted message may be in the form of a page through a paging network or a short message service message through a cellular network.

In another alternate embodiment of the invention, the invention apparatus and method comprise both the steps of sending a notification message from the service provider to the recipient informing the recipient that a converted message has been transmitted in the form of electronic mail as well as actually sending the recipient the converted message in the form of electronic mail. The notification message is sent via a wireless communication network. For example, a communication network employing pagers may be used, wherein a page is sent to the recipient with a number or code which identifies that an e-mail message has been transmitted to the recipient. In another embodiment, a short message service message is transmitted to the recipient's cellular phone. One purpose for sending such a message is to notify the recipient to check e-mail for incoming messages.

15

10

5

Although the invention has been described with reference to specific embodiments, these descriptions are not meant to be construed in a limiting sense. Various modifications of the disclosed embodiments, as well as alternative embodiments of the invention, will become apparent to persons skilled in the art upon reference to the description of the invention. It is therefore, contemplated that the claims will cover any such modifications or embodiments that fall within the true scope and spirit of the invention.

20

#### WHAT IS CLAIMED IS:

1. The method of automating the delivery of a voice originated message to a data network recipient comprising the steps of:

inputting a recipient address to be stored in a service provider; supplying a message to be stored in the service provider; and converting the stored message to a data network format.

2. The method of claim 1 comprising the additional step of: sending a message from the service provider to the recipient informing the recipient of a stored message and the method of access.

- 3. The method of claim 2 wherein the message is sent through a wireless communication network.
- 4. The method of claim 3 wherein the message is sent in the form of a page.
- 5. The method of claim 3 wherein the message is sent in the form of a short message service message.

- 6. The method of claim 1 comprising the additional step of: sending the converted message as electronic mail to the recipient.
- The method of claim 6 comprising the additional step of sending a message from the service provider to the recipient of the electronic mail wherein the message informs the recipient that the recipient has been sent a converted message in the form of electronic mail.
- 8. The method of claim 7 wherein the message is sent through a wireless communication network.
- 9. The method of claim 8 wherein the message is sent in the form of a page.
- 10. The method of claim 8 wherein the message is sent in the form of a short message service message.
- 11. The method of claim 1 comprising the additional step of:
  sending the converted message as an electronic mail attachment to the recipient.

12. The method of claim 1 comprising the additional step of: confirming that the recipients address is correct before supplying a message to be stored; and

verifying the supplied message before sending a message to the recipient at said address.

10

13. Apparatus for automating the delivery of a voice network originated voice message to a data network recipient comprising:

service provider means including means for storing a data network recipients address and a voice network originated message for that recipient;

voice network means for inputting a recipient address to be stored in said service provider;

voice network means for supplying a message to be stored in said service provider; and

converting the supplied message to a format appropriate for transmission over a data network.

14. The apparatus of claim 13 comprising in addition:

means for sending a message from the service provider to the recipient informing the recipient of a stored message and the method of access.

- 15. The apparatus of claim 13 comprising in addition:

  means for sending the converted message as electronic mail to the recipient.
- 16. Apparatus as claimed in claim 13 wherein said means for inputting and means for supplying comprises telephone type communication means.

17. A system for automating a communication from a voice network to a data network comprising:

a calling party voice network terminal;

a service provider;

5 mean

means interconnecting said voice network terminal and said service provider;

means for converting inputs obtained from said calling party voice network terminal to a data network address;

means for converting a voice message received from said calling party voice network terminal to a audio format transmittable over a data network; and means for storing the converted voice message.

18. The system of claim 17 comprising in addition:

means for forwarding said converted voice message to the stored data network address.

19. The system of claim 17 comprising in addition:

means for notifying a recipient at said stored data network address that a voice message is available for retrieval.

20. A method of delivering a voice originated message to a data network recipient comprising the steps of:

inputting a voice network originated recipient address to a service provider; supplying a voice network originated message to the service provider; and converting the supplied message to a format suitable for transmission over a data network.

21. The method of claim 20 comprising the additional steps of:

storing the recipient address;

storing the converted message; and

converting the supplied message to an audio format.

22. Apparatus for delivering a voice originated message to a data network recipient comprising:

means for inputting a voice network originated recipient address to a service provider;

means for supplying a voice network originated message to the service provider;

means for converting the supplied message to a format suitable for transmission over a data network.

23. Apparatus for storing and delivering a voice originated message to a data network recipient, comprising:

circuitry for receiving and converting a voice message to a data message having a data network format;

a store for storing the data message;

circuitry for generating a notification message for notifying the recipient of the stored data format message; and

transmission circuitry for transmitting the notification message to a wireless communication network.

- 24. The apparatus of claim 23 herein the wireless communication network is comprised of a network for paging wherein the notification message is sent in the form of a page.
- 25. The apparatus of claim 23 wherein the wireless communication network comprises a mobile telephone network and wherein the notification message is sent in the form of a short message service message.

26. An apparatus for delivering a voice originated message to a data network recipient, comprising;

circuitry for receiving a voice message and for converting the voice message to a data network format;

a store for storing the message in the data network format;

means for transmitting the data network message over a data network; and

means for transmitting a notification message to the recipient to inform the recipient that a data network message has been transmitted over the data network.

27. An apparatus for delivering a voice originated message to a data network recipient, comprising:

means for receiving a voice message;

means for storing the received message;

means for transmitting the message over a data network in a data network format; and

means for transmitting a notification message to the recipient to inform the recipient that a data network message has been transmitted over the data network.

10

28. Apparatus for storing and delivering a voice originated message to a data network recipient comprising:

means for receiving a voice message;

means for storing the received message;

means for converting the received message to a data network format before forwarding same to the recipient;


means for generating a notification message for notifying the recipient of the stored message; and


means for transmitting the notification message to a wireless communication network.


### ABSTRACT OF DISCLOSURE:

Disclosed is a method of and apparatus for converting address and message input, obtained from a telephone type terminal, at a service provider, to a format whereby the service provider may attach the voice message to an e-mail **directed** to an internet addressee.

DA980340204 042298 v4 325 17275-P043US







Docket Number: 17275-P043US (RR2156)

# DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As below named inventor, I hereby declare that:

My residence, post office address and citizenship is as stated below next to my name;

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled as set forth below, which is described in the specification of which: (check one)

XXX is attached hereto.	
was filed on	
under Attorney's Docket Number	
as Application Serial No	
and Amended on	

#### METHODS AND SYSTEMS FOR A TELEPHONE E-MAIL INTERFACE

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with 37 CFR 1.56.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine of imprisonment, or both, under 18 USC 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Docket Number: <u>17275-P043US (RR2156)</u>

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Gregory W. Carr, Reg. No. 31,093

of the law firm of WINSTEAD SECHREST & MINICK P.C. and

John D. Crane, Reg. No. 25,231 Kenneth W. Bolvin, Reg. No. 34125 Christopher O. Edwards, Reg. No. 36,127 Robert C. Klinger, Reg. No. 34,365 James A. Harrison, Reg. No. 40,401 W. Glen Johnson, Reg. No. 39,525

each of Northern Telecom Limited.

Send correspondence to Gregory W. Carr, Esq., WINSTEAD SECHREST & MINICK P.C., 5400 Renaissance Tower, 1201 Elm Street, Dallas, Texas 75270; and direct all telephone calls to Gregory W. Carr, Esq. at (214) 745-5338 and all facsimile communications to (214) 745-5390.

FULL NAME OF FIRST INVENTOR:

RODNEY GLEN ADAMS

DATE: >

COUNTY: DALLAS COUNTY

INVENTOR'S SIGNATURE: Kodne, Jan alams

RESIDENCE: 3510 Ardis

Rowlett, Texas 75088

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: (Same as Residence)

Docket Number: <u>17275-P043US (RR2156)</u>

FULL NAME OF SECOND INVENTOR:

ALBERT LAW

INVENTOR'S SIGNATURE:

DATE:\_

**RESIDENCE:** 

917 Arbor Downs

Plano, Texas 75023

COUNTY: COLLIN COUNTY

CITIZENSHIP:

United States of America

POST OFFICE ADDRESS: (Same as Residence)

FULL NAME OF THIRD INVENTOR:

RITA D'INGIANNI

INVENTOR'S SIGNATURE:

DATE: 7/2

RESIDENCE:

3310 Wyndmere Drive

COUNTY: COLLIN COUNTY

Richardson, Texas 75082

CITIZENSHIP:

United States of America

POST OFFICE ADDRESS: (Same as Residence)

DA980830159 032498 v1 431 17275-P043US